FORM B.

Return showing the description and weight of all yarn spun in the Cotton Mills in the Mysore State, during the month ending the 31th July 1930.

Count of yarn	Weight in pounds of each count	Count of yarn	Weight in pounds of each count	Count of yarn	Weight in pounds of each count
4s	22,906	16s	43,952	30s	49,311
6s	19,566	17s	131	32s	10,159
6½s	14,426	19s	172,368	40s	91,593
8s	40,060	20s	191,347	60s	54
8½s	90,946	20½s	9,181		
10s	32,174	21s	12,550		
10½s	82,461	22s	20,882		
12s	48,057	22½s	13,781		
12½s	67,997	24s	142,079		
13½s	30,580	26s	54,068		
14s	39,520	28s	90,405	Total ...	1,428,107
14½s	37,553				

H. K. RAMIENGAR,
For *Director of Industries and Commerce in Mysore.*

MYSORE DEPARTMENT OF HEALTH.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE, WEEK ENDED THURSDAY, 14TH AUGUST 1930.

A total of 61 attacks with 35 deaths from plague was returned during the week against 32 attacks with 17 deaths in the previous week. Mysore City returned 5 attacks with 3 deaths while Bangalore City and the Kolar Gold Field Area remained free.

Comparative figures for the corresponding weeks in 1929 and 1928 were 89 attacks with 55 deaths, 25 attacks with 19 deaths respectively.

Eleven attacks with 4 deaths from smallpox were reported from one village in each of Hassan, Kadur and Belur Taluks and in Hole-Narsipur Town.

A total of 11 attacks with 5 deaths from cholera was reported from 2 villages in Anekal Taluk and Hassan Town. Bangalore City returned 5 attacks with 2 deaths from suspicious cholera.

One attack with one death from influenza was returned in Bangalore City.

The State remained free from relapsing fever.

The total mortality for Bangalore City amounted to 78, representing a calculated annual ratio of 34·21 per mille of population against the average ratio of 33·77 for the corresponding week of last year. Classified according to causes, the deaths numbered 2 under cholera, 2 under malaria, 3 broncho-pneumonia, 6 pneumonia, 2 typhoid, 1 other fevers, 4 phthisis, 17 dysentery and diarrhœa, and 42 under all other causes.

As compared with the City, the Civil and Military Station Bangalore returned 68 deaths for the week ended 9th August 1930, representing a calculated annual ratio of 28·95 per mille of population against the average ratio of 16·67 for the corresponding week of last year. Classified according to causes, the deaths were typhoid 2, other fevers 3, dysestry and diarrhoea 12, tuberculosis 8, broncho-pneumonia 7, pneumonia 4, and all other causes 32.

The total mortality in Mysore City was 59, representing a calculated annual ratio of 36·54 per mille of population against the average ratio of 30·35 in the corresponding week of last year. Classified according to causes of deaths were, 3 under plague, 4 under malaria, 5 pneumonia, 1 typhoid, 5 phthisis, 10 dysentery and diarrhœa and 31 under all other causes.

There were 39 deaths in Kolar Gold Fields equivalent to a calculated annual ratio of 23·12 per mille of population against the average ratio of 28·69 for the corresponding week of last year. The causes of deaths were broncho-pneumonia 2, other fevers 2, phthisis 1, dysentery and diarrhœa 9, and all other causes 25.

J. V. KARVE,
Director of Health.